

Lab Instructions - session 7

Hough Transforms

Part 1. Hough Line Transform

Detect lines in an image using the function [cv2.HoughLines](#)

File: `hough_line.py`

```
import numpy as np
import cv2

def draw_line(I, rho, theta):
    "draws a line in image 'I' given 'rho' and 'theta'"
    a = np.cos(theta)
    b = np.sin(theta)
    x0 = a*rho
    y0 = b*rho
    x1 = int(x0 + 1000*(-b))
    y1 = int(y0 + 1000*(a))
    x2 = int(x0 - 1000*(-b))
    y2 = int(y0 - 1000*(a))
    cv2.line(I, (x1,y1), (x2,y2), (0,0,255), 1)

I = cv2.imread('highway.jpg')
G = cv2.cvtColor(I, cv2.COLOR_BGR2GRAY) # -> grayscale
E = cv2.Canny(G, 100, 200) # find the edges

min_votes = 160 # minimum votes to be considered a line
distance_resolution = 1 # 1 pixel: resolution of the parameter "rho"
angle_resolution = np.pi/180 # pi/180 radians: resolution (bin size)
of the parameter "theta"
L = cv2.HoughLines(E, distance_resolution, angle_resolution, min_votes)

# draw the lines
for [[rho, theta]] in L:
    draw_line(I, rho, theta)

cv2.imshow("E", E)
cv2.imshow("I", I)
cv2.waitKey(0)
cv2.destroyAllWindows()
```

- What happens by increasing or decreasing the parameter `min_votes`? Why?
- What is the effect of increasing and decreasing the `distance_resolution` and `angle_resolution` parameters? Explain.

Part 2: Hough Circle Transform

The goal is to detect the wheels of the car in the picture using [cv2.HoughCircles](#)



File: `hough_circle.py`

```
import numpy as np
import cv2

I = cv2.imread('samand.jpg')

G = cv2.cvtColor(I, cv2.COLOR_BGR2GRAY) # -> Grayscale
G = cv2.GaussianBlur(G, (3,3), 0);     # Gaussian blur

canny_high_threshold = 200
min_votes = 100 # minimum no. of votes to be considered as a circle
min_centre_distance = 40 # minimum distance between the centers of detected circles
resolution = 1 # resolution of parameters (centre, radius) relative to image resolution
circles = cv2.HoughCircles(G, cv2.HOUGH_GRADIENT,
                           resolution, min_centre_distance,
                           param1=canny_high_threshold,
                           param2=min_votes, minRadius=0, maxRadius=100)

for c in circles[0,:]:
    x = c[0] # x coordinate of the centre
    y = c[1] # y coordinate of the centre
    r = c[2] # radius

    # draw the circle
    cv2.circle(I, (x,y), r, (0,255,0), 2)

    # draw the circle center
    cv2.circle(I, (x,y), 2, (0,0,255), 2)

cv2.imshow("I", I)
cv2.waitKey(0)
cv2.destroyAllWindows()
```

- Change the parameters of [cv2.HoughCircles](#) and see how each of them affect detection.

Today's task: count the coins

You need to count the number of coins in the next image:



Write a piece of code to perform this task using hough circle transform. Change the file **task1.py** to perform the task. Play with the parameters until you get the desired results.

File: **task1.py**

```
import numpy as np
import cv2

I = cv2.imread('coins.jpg')
G = cv2.cvtColor(I, cv2.COLOR_BGR2GRAY)
G = cv2.GaussianBlur(G, (5,5), 0);

canny_high_threshold = 160
min_votes = 30 # minimum no. of votes to be considered as a circle
min_centre_distance = 40

circles = np.array([[10,10]])

for c in circles[0,:]:
    x = 100
    y = 100
    r = 40
    cv2.circle(I, (x,y), r, (0,255,0), 2)
print(circles.shape)
n = 100
font = cv2.FONT_HERSHEY_SIMPLEX
cv2.putText(I, 'There are %d coins!' % n, (400,40), font, 1, (255,0,0), 2)

cv2.imshow("I", I)
cv2.waitKey(0)
```

- What happens by changing different parameters?
- The Hough transform can even detect the partially occluded coins. Why this is the case?

References

- [OpenCV-Python Tutorials - Hough Line Transform](#)
- [OpenCV-Python Tutorials - Hough Circle Transform](#)